

No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Parts and Assembly Cleaner

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Parts and Assembly Cleaner

Code-Nr. 152110

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

**Technical Liquids** 

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255,, DE-48157 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone ++49(0)251 / 9322 - 0 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Asp. Tox. 1 H304

**Hazard Statements** 

H304 May be fatal if swallowed and enters airways.

2.2. Label elements



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

**Parts and Assembly Cleaner** 

## Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



**GHS08** 

#### Signal word

Danger

#### **Hazard Statements**

H304 May be fatal if swallowed and enters airways.

## **Precautionary Statements**

P102 Keep out of reach of children.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to hazardous or special waste collection point.

#### Hazardous ingredients for labeling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### Supplemental Hazard information (EU)

Repeated exposure may cause skin dryness or cracking.

## 2.3. Other hazards

Product has an anesthetic effect.

#### Information pertaining to special dangers for human and environment

In extensive use, formation of flammable / explosive vapour-air mixture is possible.

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

#### **Hazardous ingredients**

| CAS No | EC No | Name | [%      | Classification according to Regulation (EC) |
|--------|-------|------|---------|---|
|        |       |      | weight1 | No 1272/2008 [CLP/GHS]                      |

918-481-9 Hydrocarbons, C10-C13, n-alkanes, 50 - 100 Asp. Tox. 1, H304

isoalkanes, cyclics, < 2% aromatics

**REACH** 

CAS No Name REACH registration number



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Parts and Assembly Cleaner

**REACH** (continued)

CAS No Name REACH registration number

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

01-2119457273-39-xxxx

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with water.

Consult a doctor if skin irritation persists.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with water.

#### In case of ingestion

If swallowed or in case of vomiting, danger of infiltration into the lungs (danger of aspiration).

Do not induce vomiting.

Call for a doctor immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

#### Physician's information / possible symptoms

Unconsciousness

vomiting

Confusion

#### 4.3. Indication of any immediate medical attention and special treatment needed

## **Treatment (Advice to doctor)**

If swallowed or in the event of vomiting, risk of entering the lungs.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

May lead to formation of explosive/easily ignitable vapour air mixtures.

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO2)

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

## **Parts and Assembly Cleaner**

#### **Additional information**

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). After taking up the material dispose according to regulation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

## Advice on safe handling

Avoid formation of aerosols.

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

### General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

#### Hygiene measures

At work do not eat, drink, smoke or take drugs.

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Vapours can form an explosive mixture with air.

Take precautionary measures against static discharges.

Avoid effect of heat.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep in closed original container.

#### Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

#### Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from heat and direct solar radiation.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

**Parts and Assembly Cleaner** 

## 7.3. Specific end use(s)

## Recommendation(s) for intended use

See section 1.2

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice

The statutory local and national regulations have to be observed.

#### 8.2. Exposure controls

#### Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Short-term: filter apparatus, filter AX, otherwise environment-independent breathing apparatus.

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitrile rubber, >= 0,7 mm, >= 240 min

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

#### Eye protection

tightly fitting goggles

### Other protection measures

protective clothing

## Appropriate engineering controls

Sufficient ventilation and exhaustion.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidcolourless, clearsolvent-like

#### **Odour threshold**

not determined

## Important health, safety and environmental information

| , , <b>,</b>       | Value          | Temperature | at | Method | Remark |
|--------------------|----------------|-------------|----|--------|--------|
| pH value           | not determined | Tomporataro |    |        | roman  |
| boiling range      | 180 °C         |             |    |        |        |
| melting point      | not determined |             |    |        |        |
| Flash point        | > 60 °C        |             |    |        |        |
| Vapourisation rate | not determined |             |    |        |        |
| Flammable (solid)  | not determined |             |    |        |        |
| Flammability (gas) | not determined |             |    |        |        |



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

## **Parts and Assembly Cleaner**

|  | Value          | Temperature | at | Method | Remark |
|--|----------------|-------------|----|--------|--------|
| Ignition temperature                             | > 200 °C       |             |    |        |        |
| Self ignition temperature                        | not determined |             |    |        |        |
| Lower explosion limit                            | 0,6 Vol-%      |             |    |        |        |
| Upper explosion limit                            | 7 Vol-%        |             |    |        |        |
| Vapour pressure                                  | 1 hPa          | 20 °C       |    |        |        |
| Relative density                                 | 0,781 g/cm3    | 20 °C       |    |        |        |
| Vapour density                                   | not determined |             |    |        |        |
| Solubility in water                              | 0,04 g/l       | 20 °C       |    |        |        |
| Solubility/other                                 | not determined |             |    |        |        |
| Partition coefficient noctanol/water (log P O/W) | not determined |             |    |        |        |
| Decomposition temperature                        | not determined |             |    |        |        |
| Viscosity dynamic                                | not determined |             |    |        |        |
| Viscosity kinematic                              | not determined |             |    |        |        |
| Solvent content                                  | 100 %          |             |    |        |        |

### **Oxidising properties**

No information available.

#### **Explosive properties**

The product is considered non-explosive; nevertheless explosive vapour/air mixtures can be generated.

#### 9.2. Other information

No information available.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

Formation of explosive gas/air mixtures.

## 10.4. Conditions to avoid

Keep away from heat.

## 10.5. Incompatible materials

No information available.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

**Parts and Assembly Cleaner** 

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Aldehydes

## Thermal decomposition

Remark No decomposition if used as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity/Irritation/Sensitization

|                    | Value/Validation | Species | Method | Remark |
|--------------------|------------------|---------|--------|--------|
| LD50 acute oral    | > 2000 mg/kg     | rat     |        |        |
| LD50 acute dermal  | > 2000 mg/kg     | rat     |        |        |
| Skin irritation    | non-irritant     |         |        |        |
| Eye irritation     | non-irritant     |         |        |        |
| Skin sensitization | non-sensitizing  |         |        |        |

## **Experiences made from practice**

Often and long skin contact may cause degreasing and desiccation of the skin which may caus skin irritation.

Swallowing may cause vomiting and diarrhoea.

Inhalation can cause damage to the respiratory tract or lungs.

Inhalation causes narcotic effect/intoxication.

#### Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

## **Ecotoxicological effects**

|         | Value                   | Species       | Method | Validation |  |
|---------|-------------------------|---------------|--------|------------|--|
| Daphnia | EC50 > 1000 mg/l (48 h) | Daphnia magna |        |            |  |

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Parts and Assembly Cleaner

#### General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No.

Name of waste

07 01 04\*

other organic solvents, washing liquids and mother liquors

15 01 10\* packaging containing residues of or contaminated by hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

Remove in accordance with local official regulations.

#### Recommendations for packaging

Dispose of according to the local waste regulations.

## **SECTION 14: Transport information**

|                                  | ADR/RID | IMDG | IATA-DGR |
|----------------------------------|---------|------|----------|
| 14.1. UN number                  | -       | -    | -        |
| 14.2. UN proper shipping name    | -       | -    | -        |
| 14.3. Transport hazard class(es) | -       | -    | -        |
| 14.4. Packing group              | -       | -    | -        |
| 14.5. Environmental hazards      | ; -     | -    | -        |

## 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

#### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**VOC** standard

 VOC content
 100 %

 VOC value
 781 g/L

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

**Parts and Assembly Cleaner** 

## **SECTION 16: Other information**

## Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

#### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.3

H304 May be fatal if swallowed and enters airways.