

No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

Speed-Flex Crystal

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Speed-Flex Crystal Code-Nr. 136080

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

1-Component Adhesives and Sealants, permanently elastic

1.3. Details of the supplier of the safety data sheet

**Distributor** WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster Postbox 48045, DE-8460 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322 - 244

E-Mail : msds@weicon.de Internet : www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone ++49(0)251 / 9322 - 0 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

GIZ Bonn (German, English) Tel: ++49(0)228-19 240

TRANSPORT: Consultank Lutz Harder GmbH Tel: +49(0)178

433 7434 (24h Emergency Contact)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

Emergency advice -

Phone -

GIZ Bonn (Medizinische Auskunft in Deutsch und Englisch)

Tel: ++49(0)228-19 240

TRANSPORT: Consultank Lutz Harder GmbH Tel: +49(0)178

433 7434 (24h Emergency Contact)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

### **Additional hints**

This mixture is not classified as hazardous according to Regulation (EC) 1272/2008 [GHS].

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

Speed-Flex Crystal

#### Special rules for supplemental label elements for certain mixtures

Contains Bis(1,2,2,6,6-pentamethylpiperidyl) sebacate, 3-(2-Aminoethylamino)-propyltrimethoxysilan. May produce an alleroic reaction.

Contains N-[3-(trimethoxymethylsilyl)propyl]ethylenediamine. May cause allergic reactions.

#### 2.3. Other hazards

### Information pertaining to special dangers for human and environment

Although this product is not subject to reporting requirements for hazardous products, we recommend compliance with the safety recommendations.

#### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

#### Description

Sealant

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove moisted clothing immediately.

### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

Dab affected skin part with a cotton ball or cellulose and wash it afterwards with plenty of water and a mild cleaner.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

#### In case of ingestion

Call for a doctor immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

### Unsuitable extinguishing media

Full water jet



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

Speed-Flex Crystal

### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Nitrogen gases (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

#### **Additional information**

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

### General protective measures

Do not inhale gases/vapours/aerosols.

Avoid contact with the skin.

### Hygiene measures

Work in rooms with good ventilation.

Keep away from food and drink.

Keep separated from food and feed.

Wash hands before breaks and after work.

### Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in closed original container.

Prevent penetration into the ground.



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

**Speed-Flex Crystal** 

#### Advice on storage compatibility

Do not store with acids.

Do not store together with food.

Do not store together with oxidizing agents.

#### Further information on storage conditions

Protect from frost.

Protect from atmospheric moisture and water

Protect from heat and direct solar radiation.

Store container at cool and aired place.

Store in a dry place.

#### 7.3. Specific end use(s)

#### Recommendation(s) for intended use

See section 1.2

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice

The statutory local and national regulations have to be observed.

In case of contact with water (humid air), small amounts of methanol may be formed.

#### 8.2. Exposure controls

#### Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Breathing apparatus in the event of aerosol or mist formation.

#### **Hand protection**

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

#### Eye protection

tightly fitting goggles

### Other protection measures

protective clothing

#### Appropriate engineering controls

Sufficient ventilation and exhaustion.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

AppearanceColourOdourpastycolourless, clearcharacteristic

**Odour threshold** 

not determined

#### Important health, safety and environmental information

Value Temperature at Method Remark

pH value not determined



No. 1907/2006 (REACH) Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

**Speed-Flex Crystal** 

|   | Value          | Temperature | at | Method | Remark    |
|---|----------------|-------------|----|--------|-----------|
| boiling point   | not determined |             |    |        |           |
| melting point   | not determined |             |    |        |           |
| Flash point   | > 100 °C       |             |    |        |           |
| Vapourisation rate                                      | not determined |             |    |        |           |
| Flammable (solid)                                       | not determined |             |    |        |           |
| Flammability (gas)                                      | not determined |             |    |        |           |
| Ignition temperature                                    | 420 °C         |             |    |        |           |
| Self ignition temperature                               | not determined |             |    |        |           |
| Lower explosion limit                                   | 0,1 Vol-%      |             |    |        |           |
| Upper explosion limit                                   | 0,2 Vol-%      |             |    |        |           |
| Vapour pressure   | not determined |             |    |        |           |
| Relative density  | ca. 1,04 g/cm3 | 20 °C       |    |        |           |
| Vapour density  | not determined |             |    |        |           |
| Solubility in water                                     |                |             |    |        | insoluble |
| Solubility/other  | not determined |             |    |        |           |
| Partition coefficient n-<br>octanol/water (log P O/W)   | not determined |             |    |        |           |
| Decomposition temperature                               | not determined |             |    |        |           |
| Viscosity dynamic                                       | not determined |             |    |        |           |
| Viscosity kinematic                                     | not determined |             |    |        |           |
| Oxidising properties No information available.          |                |             |    |        |           |
| Explosive properties  No information available.         |                |             |    |        |           |
| <b>9.2. Other information</b> No information available. |                |             |    |        |           |

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

Speed-Flex Crystal

#### 10.3. Possibility of hazardous reactions

Reactions with acids and strong oxidising agents.

#### 10.4. Conditions to avoid

High air humidity Water

### 10.5. Incompatible materials

#### Substances to avoid

Acid

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

Nitrous gases

May form metahanol in contact with water / moisture.

Carbon monoxide and carbon dioxide.

#### Thermal decomposition

Remark No decomposition if used as directed.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Acute toxicity/Irritation/Sensitization

|                    | Value/Validation                             | Species | Method | Remark |
|--------------------|--|---------|--------|--------|
| Skin irritation    | low irritant effect - not necessary to label |         |        |        |
| Eye irritation     | low irritant - no labeling duty              |         |        |        |
| Skin sensitization | non-sensitizing                              |         |        |        |

#### **Experiences made from practice**

Frequent persistent contact with the skin may cause skin irritation.

#### **Additional information**

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

### 12.4. Mobility in soil



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

**Speed-Flex Crystal** 

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

#### **General regulation**

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into aquatic environment.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No. Name of waste

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous

substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

15 01 02 plastic packaging

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

Remove in accordance with local official regulations.

#### Recommendations for packaging

Dispose of according to the local waste regulations.

#### **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

### **SECTION 14: Transport information**

| •                                |            |      |          |
|----------------------------------|------------|------|----------|
|                                  | ADR/RID    | IMDG | IATA-DGR |
| 14.1. UN number                  | -          | -    | -        |
| 14.2. UN proper shipping name    | -          | -    | -        |
| 14.3. Transport hazard class(es) | -          | -    | -        |
| 14.4. Packing group              | -          | -    | -        |
| 14.5. Environmental hazards      | <b>S</b> - | -    | -        |

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

#### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.



No. 1907/2006 (REACH)
Printed 06.01.2016

revision 12.11.2015 (GB) Version 1.0

Speed-Flex Crystal

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**VOC** standard

VOC content 0 %

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

### **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.