

No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Corro-Protection
Code-Nr. 155550

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Technical Liquids

1.3. Details of the supplier of the safety data sheet

Distributor WEICON GmbH & Co. KG

Königsberger Str. 255,, DE-48157 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322 - 244

E-Mail : msds@weicon.de Internet : www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone ++49(0)251 / 9322 - 0 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Hazard Statements Classification procedure categories

Hazard Statements Classification procedure

Hazard Statements Classification procedure

 Skin Irrit. 2
 H315

 STOT SE 3
 H336

 Asp. Tox. 1
 H304

 Aquatic Chronic 2
 H411

Hazard Statements

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.



No. 1907/2006 (REACH) Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

H411

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]









GHS02

GHS07

GHS08

GHS09

Signal word

Danger

P102

Hazard Statements

Highly flammable liquid and vapour. H225

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Keep out of reach of children.

Precautionary Statements

| | · |
|--|---|
| P210 P233 P243 P261 P264 P271 P273 P280 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. |
| P301 + P310 P302 + P352 P303 + P361 + P353 P304 + P340 P312 P331 P332 + P313 P362 P370 + P378 P391 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. In case of fire: Use foam for extinction. Collect spillage. |
| P403 + P233 P403 + P235 P405 | Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. |
| P501 | Dispose of contents/container to hazardous or special waste collection point. |

Hazardous ingredients for labeling

Naphtha (petroleum), hydrodesulfurized heavy, Naphtha (petroleum), hydrotreated light

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

Mixture of waxes, additives and solvent.

Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|------------|--------------|---|---------------|--|
| 95-63-6 | 202-436-9 | 1,2,4-trimethylbenzene | 0,1 < 0,3 | Flam. Liq. 3, H226 / Acute Tox. 4, H332 / Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 / Aquatic Chronic 2, H411 |
| 64742-49-0 | 921-024-6 | Naphtha (petroleum), hydrotreated light | 50 < 75 | Flam. Liq. 2, H225 / Asp. Tox. 1, H304 / Aquatic Chronic 2, H411 / Skin Irrit. 2, H315 / STOT SE 3, H336 |
| 64742-82-1 | 919-446-0 | Naphtha (petroleum), hydrodesulfurized heavy | 25 < 50 | Flam. Liq. 3, H226 / Asp. Tox. 1, H304 / Aquatic Chronic 2, H411 / STOT SE 3, H336 |
| 64742-88-7 | 265-191-7 | Solvent naphtha (petroleum), medium aliph. | 1 < 2,5 | Flam. Liq. 3, H226 / Asp. Tox. 1, H304 |
| REACH | | | | |
| CAS No | Name | | | REACH registration number |
| 64742-49-0 | Naphtha (pet | roleum), hydrotreated light | | 01-2119475514-35 |
| 64742-82-1 | Naphtha (pet | roleum), hydrodesulfurized heavy | | 01-2119458049-33 |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with water.

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinsing with plenty of lukewarm water carefully and seek for medical treatment.

In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry powder

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

6.2. Environmental precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters.

Do not discharge into the drains or bodies of water..

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Disposal according to regulations.

Take up with absorbent material.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols.

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

Hygiene measures

At work do not eat, drink, smoke or take drugs. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

Further information on storage conditions

Keep container tightly closed, store at cool and aired place, open and handle carefully. Protect from direct solar radiation.

7.3. Specific end use(s)

Recommendation(s) for intended use

Namo

See section 1.2

CAS No

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

Codo

bw/day 699 mg/kg

bw/day

| CAS NO | Name | Code | [mg/mə] | [bbm] | Remark |
|------------|---|---------------------|--------------------------------------|----------|--------|
| 95-63-6 | 1,2,4-trimethylbenzene | 8 hours | 100 | 20 | |
| DNEL-/PNEC | | | | | |
| CAS No | Substance name | Value | Code | | Remark |
| 64742-49-0 | Naphtha (petroleum), hydrotreated light | 773 mg/kg bw/day | DNEL long-term dermal (sy | /stemic) | |
| | | 2035 mg/m3 | DNEL long-term inhalative (systemic) | | |
| DNEL Consu | ımer | | | | |
| CAS No | Substance name | Value | Code | | Remark |
| 64742-49-0 | Naphtha (petroleum), hydrotreated light | 608 mg/m3 | DNEL long-term inhalative (systemic) | | |
| | | 699 mg/kg | DNEL long-term oral (repea | ated) | |

[ma/m2]

DNEL long-term dermal (systemic)

Domark

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Filter A or environment-independent breathing apparatus



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Gloves (solvent-resistant)

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification: Nitile rubber

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidwhitesolvent-like

Odour threshold not determined

Vapour density

| | Value | Temperature | at | Method | Remark |
|---------------------------|----------------|-------------|----|--------|-----------------------------------|
| pH value | not determined | | | | |
| boiling range | 78 °C | | | | |
| melting point | not determined | | | | |
| Flash point | -9 °C | | | | |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | not applicable | | | | |
| Flammability (gas) | not applicable | | | | |
| gnition temperature | 200 °C | | | | |
| Self ignition temperature | | | | | The product is not self-igniting. |
| Lower explosion limit | 0,6 Vol-% | | | | |
| Upper explosion limit | 7,7 Vol-% | | | | |
| Vapour pressure | 246 hPa | 20 °C | | | |
| Relative density | 0,785 g/cm3 | 20 °C | | | |

not determined



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

Value Method Temperature at Remark No or low immiscibility Solubility in water not determined Solubility/other Partition coefficient nnot determined octanol/water (log P O/W) not determined Decomposition temperature 800 mPa*s 20 °C Viscosity dynamic

Oxidising properties

Viscosity kinematic

Solvent content

No information available.

Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixtures can be generated.

not determined

79,3 %

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat.

Uncleaned empty vessels may contain product gases which can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Thermal decomposition

Remark No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

Value/Validation Species Method Remark



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

| | Value/Validation | Species | Method | Remark |
|--|------------------|---------|--------|---|
| LD50 acute oral | > 5840 mg/kg | rat | | Information concerns to main component. |
| LD50 acute dermal | > 2920 mg/kg | rabbit | | Informations concern to main component. |
| LC50 acute inhalation | > 25 mg/l (4 h) | rat | | Informations concern to main component. |
| Skin irritation | irritant | | | |
| Eye irritation | non-irritant | | | |
| Skin sensitization | non-sensitizing | | | |
| Experiences made from practice Irritates mucous membranes. | | | | |

Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

| | Value | Species | Method | Validation |
|---------|---------------------------------|------------------------------------|--------|---|
| Fish | LL/EL/IL50 11,4 mg/l (96 h) | Oncorhynchus mykiss | | Information refers to the main component. |
| Daphnia | LL/EL/IL50 3 mg/l (48 h) | Daphnia magna | | Information refers to the main component. |
| Algae | LL/EL/IL50 30 - 100 mg/l (72 h) | Pseudokirchneriella subcapitata | | Information refers to the main component. |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

Toxic to aquatic life, fishes and plankton.

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

Product is not allowed to be discharged into aquatic environment.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

08 02 99

Name of waste

wastes not otherwise specified

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR |
|----------------------------------|--|--|--|
| 14.1. UN number | 1139 | 1139 | 1139 |
| 14.2. UN proper shipping name | COATING SOLUTION (Naphtha (petroleum), hydrotreated light) | COATING SOLUTION (Naphtha (petroleum), hydrotreated light) | Coating solution (Naphtha (petroleum), hydrotreated light) |
| 14.3. Transport hazard class(es) | 3 | 3 | 3 |
| 14.4. Packing group | II | II | II |
| 14.5. Environmental hazards | Yes | Yes | Yes |

14.6. Special precautions for user

Caution: FLAMMABLE LIQUID

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Land and inland navigation transport ADR/RID

Hazard label(s) 3 tunnel restriction code D/E Special provisions 640D Classification code F1

Marine transport IMDG

MARINE POLLUTANT

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 76,79 % **VOC value** 622,7 g/L

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



No. 1907/2006 (REACH)
Printed 02.09.2016

revision 03.08.2016 (GB) Version 8.4

Corro-Protection

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Danish MAL Code 5-3

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.3

| H225 | Highly flammable liquid and vapour. |
|------|--|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |